

Rkkj%; Wyl rayki Yyh  
Cable : UCIL, Tummalapalle

; jfu; e dkj i kssku vku/ bM; k fyfeVh] rayki Yyh  
(Hkkjr l jdkj dk l bFkkU)  
Mkd?kj% ekot payki Yyh] vku?kzi nSk - 516 349

QkS / Phone : (08588) 282766

QSI / Fax : (08588) 282704

## URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

P.O. Mabbuchintalapalle, Vemula (M), Pulivendula, Dist: Y.S.R., Andhra Pradesh - 516 349

I hfer i MRRkN / Limited Enquiry

Lk es To 1. J 6009 2. J 6010 3. G 6013	fykQkQai j ; g l ahkZfy[ka QUOTE THIS REFERENCE ON THE COVER	
	i MRRkN l @ / Enquiry No.	2/PE150333/1
	Rkkjh[k / Date	21/04/2015
	fu; r rkkjh[k / Due Date	15/05/2015

egk' k; ]

di; k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi l usdsnWjh vls vusks ds vuokj vi usHko Hk\$A vi usHko "dz foHkx" dksmi; Dr irsij fu; r rkkjh[k l si oZMkd }kjk Hk\$A!

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	<p>WEDGE WIRE SCREEN SIZE:1980MMX2050MM.</p> <p>Specification for wedge wire screens: ----- Wedge wire screen with 1.00mm aperture, for highly abrasive slurry with 30-35% solids, particle ground to about 85% passing 74 microns. Screen will be installed in the hydro cyclone over flow stream. Slurry to be filtered contains wood chips, fiber material, rubber chips, etc., occasionally coarse particle of +1mm may report to the screen. Volume of the slurry to be filtered will be about 200m<sup>3</sup>/h</p> <p>Overall size of the screen is 1980mm(width)x2050mm(length), material will flow on 2050mm length. Screen may be supplied in two equal sized</p>	1 No.

panels with suitable leak proof arrangement at the joint.

Party must mention the MOC of the wedge wire screen offered. Detailed specification of the offered material, wire size etc., Leaflets, catalogue, etc., order copies similar to offered material and size, executed in the last one year to be enclosed ( )

Note : Parties not registered with UCIL and interested in supply are required to submit their credential showing their status as Manufacturer/Distributors/Dealer with supporting documents for registration in UCIL.

---

Enclosures

Hkonh; / Yours faithfully  
dls; jfu; e dkj i kskv vko/ bM; k fyfeVd  
**For URANIUM CORPORATION OF INDIA LIMITED**

C MATHIVANAN  
Controller of Purchase

---

## vuqsk

1 di; k viusnj] fcuk vkøj jkbfax@dkv&Nw/sval , oa' kCn eam) ÷ djavk\$ fufonk l aHkZI & ; k] fu/kZjr frfFk , oafufonkdj dsuke rFkk i rk fyf[kr nksi ÷; kaeaejjca i zrko fopkjkFkZi zr q djaA

2 QBI @bZey l sfufonk Lohdkj ughafd; stk, aSA

3 fof/k eku; rk % Hkko bl i MrkN dh rkjh[k l s90 fnu ; k vf/kd l e; rd fof/keku; gkspskfg, A

4 l EivZca 'kd ; fn dksZg\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjshk. Mkj ij l kexk dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads Hkhrj i jv dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hk\$sx, eky xUr0; LFkku rayki Yyh ij fu% kd l qpzh dsvk/kkj ij gksk pkfg, A

7 dj % dj pñ] mRiknu 'kd vkfn dh fuf'pr nj tgmbl yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea , sh ol fy; kadsnkoka i j fopkj ughafd; k tk, xk tc rd fd ; sfQj l su yxkbZtk; aA

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gSA dsk bl eanh xbZi jv ek=k dsfy, vkn\$sk nssdsfy, ck/; ughagSA ; fn m} ÷ dher vñ'kd ek=k ij ykxvu gsrks, sk fy[kSA

9 ueqk % vxj uevsa xstk, arksfcuk fd l h i kjk dsnsgk\$svk\$ bl gafufonk nkrk dksyk\$; k tkuk vko'; d ugh gksk A

10 l qpzh % ifyHkngk eabl dsvkl ikl vofLFkr i vrdRrZkadksgekjshk. Mkj rayki Yyh ij l qpzh dshkko nsspkfg, A

11 dsk dksdk\$zhk fufonk fcuk dksZdkj. k crk; sjn- djusrFkk i MrkN fd; sx, ek=k l sde dsfy, dz vkn\$sk nssdk vf/kdkj gSA

12 i pkfyr l jdkjh ifji= dsvuqkj i kFfedrk nh tk, xh A

### **Instructions**

- 1 Please quote your rate in figure and word without overwriting/cutting and submit your sealed offer in duplicate for consideration duly super scribed with tender reference no.,due date and bidder name and address.
2. FAX/e-MAIL offer will not be accepted.Offer should be send through registered/speed post/courier(DTDC or Professional )
3. Validity : Your quotation should be valid for 90 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Tummalapalle central stores.
7. Taxes: Specific rates of taxes,octroi,excies duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Pulivendula should quote F.O.R. delivery at our stores at Tummalapalle.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.