

Rkkj%: Wyl rayki Yyh
Cable : UCIL, Tummalapalle

; jfu; e dkj i kssku vku bM; k fyfeV] rayki Yyh
(Hkkjr ljdkj dk l bFkkU)
Mkd?kj% ekot payki Yyh] vku?kz nSk - 516 349

QkS / Phone : (08588) 282766

QSI / Fax : (08588) 282704

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

P.O. Mabbuchintalapalle, Vemula (M), Pulivendula, Dist: Y.S.R., Andhra Pradesh - 516 349

I hfer i MRRkN / Limited Enquiry

Lk ok es To	1. F 8	fykQkQai j ; g l ahkZfy[ka	
	2. P 116	QUOTE THIS REFERENCE ON THE COVER	
	3. G 59	i MRRkN l @ / Enquiry No.	2/PE141038/1
		Rkkjh[k / Date	30/08/2014
		fu; r rkjh[k / Due Date	30/09/2014

egk' k;]
di; k fuEufyf[kr l keku dh i fuZdsfy, fn, x, gekjsi lussdntwih vls vuska dsvuqkj viushko HkSaA viushko "dz
foHkx" dksmi; Qr irsij fu; r rkjh[k l si oZMkd }kjk HkSaA

Dear Sir,
Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	GEAR BOX FOR BALL MILL TYPE OF GEAR BOX: H2SH-14 TRIPLE STAGE HELICAL, EQUIVALENT TO SL.NO. 0734.5181.001-1, NO. OF STAGES: 2, GEAR BOX SUITABLE FOR MOTOR KW: 1000 KW, INPUT RPM: 1500, RATIO: 8:1, OUTPUT RPM: 188.2, SERVICE FACTOR CONSIDERED: 2:6, DIRECTION OF OUTPUT SHAFT: HORIZONTAL, OUPUT SHAFT DESIGN: SOLID, OIL FILLING CAPACITY: 140LTRS. MAKE: FLENDER/GEAR MASTER/PREMIER ENGINEERS. ()	1 No.
2	GEAR BOX FOR ROD MILL TYPE OF GEAR BOX: H2SH-9 DOUBLE STAGE HELICAL,	1 No.

EQUIVALENT TO SL.NO. 0734.5182.001-1,
NO. OF STAGES: 2,
GEAR BOX SUITABLE FOR MOTOR KW: 350 KW,
INPUT RPM: 1500,
RATIO: 6.25:1,
OUTPUT RPM: 239.62,
SERVICE FACTOR CONSIDERED: 2:6,
DIRECTION OF OUTPUT SHAFT: HORIZONTAL,
OUPUT SHAFT DESIGN: SOLID,
OIL FILLING CAPACITY: 42LTRS.
MAKE: FLENDER/GEAR MASTER/PREMIER ENGINEERS ()
3 GEAR BOX FOR FELUWA DRIVES: 1 No.
TYPE OF GEAR BOX: B2SH-4A BEVEL HELICAL,
EQUIVALENT TO SL.NO. 4523581-0020-001,
NO. OF STAGES: 2,

GEAR BOX SUITABLE FOR MOTOR KW: 54.24 KW,
INPUT RPM: 1500,
RATIO: 6.29:1,
OUTPUT RPM: 238.25,
SERVICE FACTOR CONSIDERED: 2:6,
DIRECTION OF OUTPUT SHAFT: HORIZONTAL,
OUPUT SHAFT DESIGN: SOLID,
OIL FILLING CAPACITY: 10 LTRS.
MAKE: FLENDER/GEAR MASTER/PREMIER ()

Note : Parties not registered with UCIL and interested in supply are required to submit their credential showing their status as Manufacturer/Distributors/Dealer with supporting documents for registration in UCIL.

vugxud
Enclosures

Hkonh; / Yours faithfully
dfrs; yfu; e dkj i kskv vko/ bM; k fyfeVd
For URANIUM CORPORATION OF INDIA LIMITED

C MATHIVANAN
Controller of Purchase

vuqsk

- 1 di; k viusnj] fcuk vkøj jkbax@dkv&Nw/sval , oa' kcn eam) ð djavk\$ fufonk l aHkZI & k] fu/kZjr frffk , oafufonkdj dsuke rFkk i rk fyf[kr nksi ð; kaeægjca i zrko fopkjkFkZi zr q djaA
- 2 QBI @bZey l sfufonk Lohdkj ughafd; stk, aSA
- 3 fof/k eku; rk % Hkko bl i MrkN dh rkjh[k l s90 fnu ; k vf/kd l e; rd fof/keku; gkaspkfg, A
- 4 l EivZca 'kd ; fn dksZg\$ rksvki ds}kjk ogu fd; k tk, xk A
- 5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjshk. Mkj ij l kexk dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads Hkhrj i jv dher vnk dh tk, xh A
- 6 dher 'krZ% vki }kjk Hk\$sx, eky xUr0; LFku rayki Yyh ij fu% kd l qpzh dsvk/kkj ij gk\$ pkfg, A
- 7 dj % dj pñ] mRiknu 'kd vkfn dh fuf'pr nj tgmbl yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea , sh ol fy; kadsnkoi j fopkj ughafd; k tk, xk tc rd fd ; sfQj l su yxbZtk; aA
- 8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gSA dzk bl eanh xbZi jv ek=k dsfy, vkn\$ n\$dsfy, ck/; ughagSA ; fn m} ð dher vñ'kd ek=k ij ykxvu gsrks, \$k fy[k\$A
- 9 ueqk % vxj uevsa\$stk, arksfcuk fdl h i Hkj dsnsgk\$svk\$ bl gafufonk nkrk dksyk\$; k tkuk vko'; d ugh gk\$ A
- 10 l qpzh % ifyHkngk eabl dsvkl ikl vofLFkr i vdrRZkadksgekjshk. Mkj rayki Yyh ij l qpzh dshko n\$spkfg, A
- 11 dzk dksdk\$zhk fufonk fcuk dksZdkj. k crk; sjn- djusrFkk i MrkN fd; sx, ek=k l sde dsfy, dz vkn\$ n\$sd\$ vf/kdkj gSA
- 12 i pkfyr l jdkjh ifji= dsvuqkj i kFfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word without overwriting/cutting and submit your sealed offer in duplicate for consideration duly super scribed with tender reference no.,due date and bidder name and address.
2. FAX/e-MAIL offer will not be accepted.Offer should be send through registered/speed post/courier(DTDC or Professional)
3. Validity : Your quotation should be valid for 90 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Tummalapalle central stores.
7. Taxes: Specific rates of taxes,octroi,excies duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Pulivendula should quote F.O.R. delivery at our stores at Tummalapalle.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.