

Rkkj%; Wyl tkngkkl- ekbll  
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vko/ bM; k fyfeVM] tkngkkl-  
(Hkkjr ljdkj dk l BfkkU)  
Mkd?kj% tkngkkl- ekbll ] >kj[k.M - 832 102

Qks / Phone : (0657)2730122  
2730222/2730353  
QSI / Fax : (0657) 2730322  
(0657) 2731332

## URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)  
P.O. Jaduguda Mines, Jharkhand - 832 102

Email: : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

fykQkQsi j ; g l aHkZfy[ka  
**QUOTE THIS REFERENCE ON THE COVER**

i MRkkN l @ / Enquiry No. 1/PE170774/8

Rkkjh[k / Date 03/06/2017

fu; r rkjh[k / Due Date 10/07/2017

egk' k; ]

di; k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi lussdnlwjh vls vusks dsvuokj vi usHko Hk\$A

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	WATER PURIFICATION SYSTEM AS PER ANNEXURE-4(ATTACHED) ( )  Bidder should submit their offer as per terms & conditions given under Annexure 1, 2 & 3[ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & ANNEXURE -3 (Pre-Qualification Criteria)] OFFER SUBMITTED IN SINGLE PART WILL BE REJECTED.	1 Number

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vko/ bM; k fyfeVM

**For URANIUM CORPORATION OF INDIA LIMITED**

USHA MAHTO

Asst. Purchase Officer

vuošk

1 di; k viusnjsval , oa' kñ eam) ò djA

2 QBI @bZey I sfufonk Lohdkj ughafd; stk, aSA

3 fof/k ekl; rk % Hkko bl i MrkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekl; gkaspkfg, A

4 I Ei wZcA 'kòd ; fn dksZgk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh gekjsHk. Mkj ij I kexlz dh i klr rFkk Lohdfr dh rkjh[k I s30 fnukads Hkhrj i jv dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hk\$ sx, eky xlr0; LFku tkn\$kk\$ ujoki gkM+, oarj eMhg ij fu% kòd I qpZh dsvk/kkj ij gk\$ pkfg, A

7 dj % dj p\$h mRiknu 'kòd vkfn dh fuf' pr nj tgmbl yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea , sh ol fy; kadsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; aA

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gSA dzk bl eanh xbZi jv ek=k dsfy, vkn\$ n\$dsfy, ck/; ughagSA ; fn m} ò dher vA'kd ek=k ij ykxvu gksrks, \$k fy[kA

9 ueqk % vxj uev\$ekstk, arksfcuk fdI h i kjk dsn\$gk\$svk\$ blgafufonk nkrk dksy\$; k tkuk vko'; d ugh gk\$ A

10 I qpZh % te'ksi j eabl dsvkl ikl vofLFkr i fvdRrZv kadsgekjsHk. Mkj tkn\$kk\$ ujoki gkM+, oarj eMhg ij I qpZh dshkko n\$spkfg, A

11 dzk dksdk\$Zh fufonk fcuk dksZdkj.k crk; sjn\$ djusrFkk i MrkN fd; sx, ek=k I sde dsfy, dz vkn\$ n\$sd\$ vf/kdkj gSA

12 i pkfyr Ijdkjh ifji= dsvuqkj i kFfedrk nh tk, xh A

### **Instructions**

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.