


# WorkCentre® 5325 / 5330 / 5335



make - Canon / Xerox Company

Xerox

|                                      |  |  |
|--------------------------------------|--|--|
| <b>Speed</b>                         | Up to 25 / 30 / 35 ppm   |  |
| <b>Duty Cycle</b>                    | 100,000 / 125,000 / 150,000 pages per month  |  |
| <b>Memory</b>                        | 1 GB plus 160 GB hard drive  | 1 GB plus 160 GB hard drive / 2 GB with optional PostScript Kit  |
| <b>Paper Handling</b><br>Paper Input | Standard   | Duplex Automatic Document Feeder: 110 sheets; Standard sizes: 5.5 x 8.5 in. to 11 x 17 in. / A5 to A3; Custom sizes: 3.3 x 4.9 in. to 11.7 x 17 in. / 85 x 125 mm to 297 x 432 mm  |
|                                      |  | Bypass Tray: 50 sheets; Custom sizes: 3.5 x 3.9 in. to 11.7 x 17 in. / 89 x 98 mm to 297 x 432 mm  |
|                                      | Choose one   | Trays 1 and 2 with Stand: 520 sheets each; Sizes: Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm<br>High-Capacity Tandem Tray: 2,000 sheets; Standard Sizes: 8.5 x 11 in. and 7.25 x 10.5 in. / A4 or B5              |
|                                      | Optional   | High-Capacity Feeder*: 2,000 sheets; Standard Sizes: 8.5 x 11 in. and 7.25 x 10.5 in. / A4 or B5<br>Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5, Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in. / 98 x 148 mm to 162 x 241 mm |
| <b>Paper output</b>                  | Standard   | Dual Catch Tray: 250-sheets each; Lower output offset  |
|                                      | Optional   | Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling   |
|                                      |  | Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch)  |
|                                      |  | Convenience Stapler: Staples 50 sheets   |
| <b>Automatic two-sided printing</b>  | Standard   |  |
| <b>Copy</b> First-page-out-time      | WorkCentre 5325/5330: As fast as 4.2 seconds; WorkCentre 5335: As fast as 4.0 seconds  |  |
| <b>Resolution (max)</b>              | 600 x 600 dpi  |  |
| <b>Copy features</b>                 | Automatic two-sided, Electronic pre-collation, Automatic tray selection, Build Job, Negative/Mirror image, Automatic booklet creation, Multi-up, Auto RE, Mixed-size originals, Covers insertion, Sample set, Book copying, Annotation, Delete Outside/Delete Inside, Poster mode, Watermarks, ID Card Copy, Page Layout, Form Overlay, Background Suppression |  |
| <b>Print</b> First-page-out-time     | Optional   | As fast as 11.0 seconds  |
| <b>Resolution (max)</b>              |  | 1200 x 1200 dpi  |
| <b>Connectivity</b>                  |  | 10/100/1000Base-TX Ethernet, High-Speed USB 2.0 direct print   |
| <b>Page description languages</b>    |  | PCL® 6, PCL 6, HP-GL/HP-GL2, TIFF/PDF, XPS®; Optional Adobe® PostScript® 3™  |
| <b>Print features</b>                |  | Automatic two-sided, Secure print, Delay print, Sample set, Booklet creation, Cover selection, Paper selection by attribute, N-up, Watermarks, Banner sheets, Fit to new paper size, Output tray selection, Print from USB                         |
| <b>Scan</b>                          | Standard   | PDF, Linearized PDF, PDF/A, TIFF, JFIF, JPEG, XPS, Color Scan, Scan to Email, Scan to Folder   |
|                                      | Optional   | Scan to PC Desktop®, Network Scan Kit (Text Searchable PDF, MRC compression, Thumbnail Preview, Various Xerox® Business Innovation Partner Solutions)  |
| <b>Fax Kit</b>                       | Optional   | Walkup PSTN fax (one-line and three-line options) with Internet fax, Fax over IP (T.38) Kit, Network Server Fax Enablement Kit, Speed Dials (up to 2,000)  |
|                                      |  | LAN Fax via driver, Fax Forward, Two-sided Send and Receive, Print on / Fax up to 11 x 17 in. / A3, Fax Build Job  |
| <b>Accounting</b>                    | Standard   | Auditron   |
|                                      | Optional   | NA   |
| <b>Security</b>                      | Standard   | 256-bit Hard Disk Encryption, Image Overwrite  |
|                                      |  | Secure Print, Authentication with LDAP/Kerberos/SMB/CAC, Password Protected PDF, FIPS 140-2 encryption, S/MIME Encrypted Email, IPsec, 802.1X, SNMP v3.0, Email over SSL, LDAP over SSL, Image Overwrite, 256-bit Hard Disk Encryption, Audit Log  |
|                                      | Optional   | NA   |
| <b>Other Options</b>                 | Common Access Card Enablement Kit, Foreign Device Interface, Unicode Kit   |  |

\* Requires High-Capacity Tandem Tray



For more information, call 1-800-ASK-XEROX or visit us at [www.xerox.com/office](http://www.xerox.com/office)

©2012 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. XEROX® and XEROX Design® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. BR146. Updated 6/12 610P730289D W588R-01UE

xerox

K. L. Targui  
14/09/16