



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5376093  
Dated/दिनांक : 23-09-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	14-10-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	14-10-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Uranium Corporation Of India Limited
Office Name/कार्यालय का नाम	Jaduguda
Total Quantity/कुल मात्रा	875
Item Category/मद केटेगरी	LED Luminaire (for Flood Light) as per IS 10322, IS 16107 (Q3) , LED Luminaire for High Bay Lighting (Q3) , Led Flood Light (Q3) , LED Tube Light (Retrofit Type) (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	1 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	4 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

<b>Bid Details/बिड विवरण</b>	
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	30 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	LED Luminaire (for Flood Light) as per IS 10322, IS 16107
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and

"Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### LED Luminaire (for Flood Light) As Per IS 10322, IS 16107 ( 35 pieces )

Bis Required	Yes
--------------	-----

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	LED Luminaire conformity to IS:10322/Part 5/Section 5/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest	Yes
	<b>LED Rating/System Wattage/Rated Power</b>	150W
	<b>Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest</b>	IP66
	<b>Warranty for free replacement (in Years)</b>	5
ELECTRICAL EFFICIENCY	<b>Input operating Voltage range and frequency</b>	90 to 300 V olts AC at 50 Hz+/-2 Hz
	<b>Rated voltage</b>	230 V AC 50 Hz
	<b>Total Harmonics Distortion (in %age)</b>	? 10
OPTICAL	<b>Colour temperature (+/- 500K)</b>	6500K
	<b>Working life for LED (Minimum 50,000 burning hours as per LM-80 report)</b>	Yes
	<b>Colour Rendering Index(CRI)</b>	?70
	Optic lense materal (UV stabilised) (Write NA for without optic lense supply)	Poly carbonate lense
THERMAL MANAGEMENT	<b>Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively</b>	Yes
	<b>Junction temperature</b>	< 85 degC
	<b>Operating temperature range</b>	-20 deg C to +50 deg C
PROTECTION	<b>The luminaire shall be protected against surges and transients ( Internal)</b>	>/=5KV
	<b>The luminaire shall be protected against surges and transients of &gt;/=10KV (External)</b>	Yes
CONSTRUCTIONAL	The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Number of electronic control gear (power supplies)</b>	2 Nos.
	Suitable connector shall be provided for LED connection between driver output and LED	Yes
	<b>Length of ISI marked three core wire (shall be provided along with supply of material)</b>	50 cm
REPORTS AND CERTIFICATIONS	<b>LED Make</b>	OSRAM / NICHIA/CREE / SAMSUNG / SEOUL / LUMILED / PHILIPS / EDISON / SYSKA / LUMENMAX / EVERLIGHT / BRIDGELUX / NATIONSTAR / REFOND

**Additional Specification Parameters - LED Luminaire (for Flood Light) As Per IS 10322, IS 16107 ( 35 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	Rated supply voltage 90 V AC.
Note	Parameter value given in additional specification shall supercede the category specification parameter value.
Note 1	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIIH STORE UCIL TURAMDIIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	35	90

**LED Luminaire For High Bay Lighting ( 28 pieces )**

## Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS	Installation and commissioning	No
	Scope of installation and commissioning	Not applicable
RATINGS	Operating input voltage range (in Volts)	100 to 280
	Luminaire System Wattage (in Watts)	150
	Luminaire System Efficacy - Lumen output - (Lumen/watt)	? 120
	Color Temperature (CCT) +/- 500 K (in Kelvin)	6000 K
	Colour Rendering Index (CRI) (in % age)	? 70
	Power Factor (PF)	? 0.95 at full load, ? 0.90 at full load
	Ingress Protection (IP) Rating of Luminaire (agreed to furnish test certificates to buyer / consignee on demand)	IP 66
	Impact resistance (If claimed "Yes" - agreed to furnish test certificates to buyer / consignee on demand)	Yes. IK08 (as per IEC 62262:2002)
	Minimum operating temperature range (in deg. C)	-10 to 0
	Maximum operating temperature range (in deg. C)	60.0 - 60.0 Or higher
SAFETY	The luminaire shall be protected against surges and transients ( Internal)	? 5 KV
	The luminaire shall be protected against surges and transients (External)	? 10 KV
	Flame/Fire proof compliance (If claimed - agreed to furnish test certificates to buyer / consignee on demand)	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Other compliacne (If claimed - agreed to furnish test certificates to buyer / consignee on demand)</b>	EMC (as per IEC:61000-3-2:2014 latest)
CONSTRUCTION	<b>Shape of Luminaire</b>	Round
	<b>Type of mounting</b>	Metallic adjustable Brackets with Eye Bolt
	<b>Installation height range from floor level (in m) - Must declare</b>	15
	Colour of Luminaire	White
	<b>Optic Lens</b>	Yes. Polycarbonate-UV stabilised
	<b>Type of Control Gear</b>	Constant Current
	<b>Number of electronic control gear on each luminaire (power supplies) - (in Nos.)</b>	1
	<b>Luminaire fitted with connecting cables for input power</b>	ISI Marked 3 Core cable for input power ( Length:250 mm )
	<b>Accessories for each luminaire</b>	Metallic adjustable Brackets (Stainless steel), SS Eye Bolts (as per IS:4190:1984 latest), Set of Bolt,Nut, Washers (SS), Die cast aluminium brackets, Metallic Adjustable Brackets (Stainless Steel) provided along with the fixtures for ceiling mounted high bay light fixtures
MARKING	<b>Marking/Identification details on inside of each luminaire and outside of each packing box</b>	Manufacturer's Name, Model Number, Serial Number, Month and year of manufacturing, Voltage, System Wattage
	<b>Marking/Identification details on each control gear</b>	Manufacturer's Name, Model Number
CERTIFICATIONS	<b>Warranty period (in Months)</b>	60 Or higher
	<b>Availability of test reports from Central Govt. Lab/NABL/ILAC accredited laboratory to prove conformity of the specification</b>	Yes
	<b>Agreed to furnish LM 79 , LM 80 reports from Central Government lab/NABL/ILAC accredited lab</b>	Yes as per IS:16106:2012 latest and as per IS:16105:2012 latest
	<b>Agreed to furnish TM 21 report from Central Government lab/NABL/ILAC accredited lab</b>	Yes

**Additional Specification Parameters - LED Luminaire For High Bay Lighting ( 28 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	Rated supply voltage 100 V AC.
Note	Parameter value given in additional specification shall supercede the category specification parameter value.
Note 1	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	28	90

**Led Flood Light ( 12 pieces )****Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Constructional	<b>LED Rating (in Watts)/System Wattage/Rated Power</b>	200, 240 Or higher ( <b>Watt</b> )
	Mounting Plate size	NA
	<b>Length of ISI marked three core wire (shall be provided along with supply of material)</b>	100 Or higher ( <b>centimeter</b> )
	Adjustable Mounting Bracket	Yes



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Electrical Efficiency	AC Power Factor at full load	>/=85%
	Input operating Voltage range and frequency	24 VAC (+/- 10%) at 50 Hz
	Total Harmonics Distortion (as per IS: 16102)	</=10
	Automatic Higher Cut off voltage above 300 volt	Yes
	Driver Efficiency (in %age)	Upto 100W: >/=85%
Optical	LED Beam Angle (degree)	>/=120, 120
	Colour temperature	6000 +/- 500K
	LED chip Efficacy	>/=135 Lm/Watt
	Colour Rendering Index(CRI)	>/=70
Protection	Over Voltage Protection	Yes
	The luminaire shall be protected against surges and transients of >/=10KV (External)	No
	Short Circuit Protection	Yes
	Over Load Protection	Yes
	The luminaire shall be protected against surges and transients ( Internal)	>/=5KV
	Reverse Polarity	Yes
Thermal Management	<b>Operating Temperature Range</b>	-20 deg. C to +50 deg. C
Marking	Manufacturer's Name, Model Number, Serial Number on the aluminium die cast body Engraved/Embossed	Yes
Standards	<b>Warranty for free replacement (in years)</b>	2
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest	IP67
Reports And Certifications	Photo biological Safety report as per IEC- 62471 issued by NABL/ vs EPA accredited lab to be submitted	Yes
	Test Report for Protection from High Voltage to be submitted	Yes
	Test Report for Over Volatage Cut off with self restart feature to be submitted	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGE
	Wind Speed report as per IEC 62262 from NABL accredited Lab to be submitted	Yes
	Orinial Test Report from independent NABL Lab for Compliance with CRS Scheme as per IS-15885 & IS-16104 to be submitted	Yes
	Test certificate as per IEC62305 & IEC61643 from NABL/EPA certified third party Lab to be submitted	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	12	90

**LED Tube Light (Retrofit Type) ( 800 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	LED Tube light Rating (in Watts)	12.0

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of LED tube light (Nominal) (in feet)	2.0
	Lamp Efficacy (Lumen / Watt), Minimum	120
	LED chip Efficacy (Lumen / Watt), Minimum	130
	Colour Temperature (in K)	6500 (Cool white)
	Warranty for free replacement (Years)	1
CONSTRUCTIONAL	Type of Tube Light	T-8
	Cap designation	G13
	Type of Driver	Inbuilt (for T8)
	Lamp Shell material	Polycarbonate Or higher
	Colour Rendering Index (CRI) - Minimum	70, 80 Or higher
	Total Harmonics distortion (%), Maximum	15 Or lower
CERTIFICATIONS	Safety of lamp control gear	as per IS:15885 (Part 2/Sec 13:2012/IEC:61347-2-13/EN 61347-2-13
	DC or AC Supplied Electronic Control Gear for LED Modules - Performance Requirements	as per IS:16104:2012 latest /IEC 62384:2020
	Availability of BIS CRS compliance	Yes as per IS 15885 (Part 2/Sec 13)

#### Additional Specification Parameters - LED Tube Light (Retrofit Type) ( 800 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	Rated supply voltage 100 V AC.
Note	Parameter value given in additional specification shall supercede the category specification parameter value.
Note 1	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	800	90

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

- 1) Subsequent to bid opening, if it is found that bids submitted by related parties in which there seems to be collusion are liable to be rejected. Parties are considered to be related if one party has the ability to control the other party or exercise significant influence over the other party in making financial and / or operating decision.
- 2) Bidders shall submit their offer strictly as per specification and scope given in the bid failing which their offer will liable to be rejected. Conditional offer will also liable to be rejected.
- 3) Material is required to be supplied on FOR-destination duly unloaded & insured basis.
- 4) Deviation of Order quantity: Up to 10% variations in the execution of purchase order of the total order value for sanctioned order value is allowed without issue of amendment / revision in the purchase order.

**4. Past Project Experience**

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

## 5. Inspection

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not Required

Post Receipt Inspection at consignee site before acceptance of stores:  
carried out by concerned user at our store/site and it will be final and binding for supplier.

## 6. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

## 7. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

## 8. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---