

Rkkj%; Wyl tkngkkl+ ekbUl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vko/ bM; k fyfeVM] tkngkkl+
(Hkkjr ljdkj dk l BfkkU)
Mkd?kj% tkngkkl+ ekbUl] >kj[k.M - 832 102

Qks / Phone : (0657)2730122
2730222/2730353
QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)
P.O. Jaduguda Mines, Jharkhand - 832 102

Email: : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

fykQkQsi j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 1/PE180644/8

Rkkjh[k / Date 07/03/2018

fu; r rkjh[k / Due Date 10/04/2018

egk' k;]

di; k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi lussdsntvjh vls vupskd dsvuokj vi usHko Hk\$A

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	MULTICORE FR PVC CABLE 1100V 3C X 0.75 SQ.MM COLOUR : BLACK MAKE : HAVELLS 1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3 [ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & Annexure -3 (Pre-Qualification Criteria)] 2)Offer submitted in single part will be rejected. ()	500 Mtr

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vko/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

PRAVEEN KUMAR PAL

Addl. Controller(S&P)

vuošk

1 di; k viusnjšvæl , oa' kčn eam) ð djæA

2 QBI @bZey I sfufonk Lohdkj ughafd; stk, æsA

3 fof/k ekU; rk % Hkko bl i MArkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekU; gkæspkfg, A

4 I Ei vZæi 'kæd ; fn dksZgk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjshk. Mkj ij I kexlz dh i ælr rFkk Lohdfr dh rkjh[k I s30 fnukæds
Hkhrj i jv dher vnk dh tk, xh A

6 dher 'kræ% vki }kjk Hkæsx, eky xlr0; LFkku tknækkæ] ujoki gkM+, oarjæMhg ij fu% kæd I æpZh dsvk/kkj
ij gkæk pkfg, A

7 dj % dj pæh] mRiknu 'kæd vkfn dh fuf' pr nj tgmbl yh ; kæ, gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea
, šh ol æy; kædsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; æA

8 ek=k % bl eanh xbZl keku dh ek=k dæy vuækfur gæA dæk bl eanh xbZi jv ek=k dsfy, vknšk nædsdsfy,
ck/;
ughagæA ; fn m} ð dher væ'kd ek=k ij ykxvu gksrks, šk fy[kæA

9 ueæk % vxj uevæææstk, arksfcuk fdI h i ækj dsnæsgkæsvk\$ blægfufonk nkrk dksyææ; k tkuk vko'; d ugh
gkæk A

10 I æpZh % te'ksi j eabl dsvkl ikl vofLFkr i fvdRræZkædksgekjshk. Mkj tknækkæ] ujoki gkM+, oarjæMhg
ij
I æpZh dshkko næspkfg, A

11 dæk dksdksZkh fufonk fcuk dksZdkj.k crk; sjnæ djusrFkk i MArkN fd; sx, ek=k I sde dsfy, dz vknšk
næsdæk vf/kdkj gæA

12 i pæfyr I jdkjh ifji= dsvuækj i ækfedrkh nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.