

Rkkj% ; hyl tknqk ekBU
Cable : UCIL, Tummalapalle

; jfu; e dkjijksku vWD bM; k fyfeVM tknqk
(Hkjr ljdkj dk l fku)
Mkd?kj% tknqk ekBU] >kj[k.M - 832 102

Qks / Phone : (08588)282766

QSI / Fax : (08588) 282704

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

i NRkkN / Enquiry

Lk es To	fykQkQaij ; g l ahkz fy[k QUOTE THIS REFERENCE ON THE COVER	
	i NRkkN l @ / Enquiry No.	1/PE180370/1
	Rkkjh[k / Date	16/03/2018
	fu; r rkjh[k / Due Date	17/04/2018

egk' k;]
di; k fuEufyf[kr l keku dh i nrz dsfy, fn, x, gekjsi usdsni jh vks vuqsk dsvuqkj viushko Hk\$A viushko "dz
foHkx" dksmi; Qr irsij fu; r rkjh[k l siwz Mkd }kjk Hk\$A!

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	Vacuum circuit breaker, type: HWX, s.no: 7306009601/ 04/1, specn: 1EC 62271-100, Voltage: 6.6KV, 800 Amps, Fr:50Hz, S.C Breaking capacity: 31.5KA, Duration of S.C: 3 sec, Insulation level: 7.2KV/ 20KV/ 60KVP, closing: 110V DC, Opening: 110V DC, operating mechanism: Motor Charged, operating sequence: 0-0.3S-CO-3M-CO, Make: Areva/ Schneider electric. () Refer: "Annexure-1" Part-1 (Pre-Qualification part-1), "Annexure-2"NIT Terms & Conditions,Annexure-3 PQC,"Annexure-4" Price Bid format,"Annexure-5" Earnest Money Deposit format,"Annexure-6" Security Deposit format and Annexure-7 General Terms & Conditions.	1 No.

vugXud
Enclosures

Hkonh; / Yours faithfully

drs; jfu; e dkjijksku vWD bM; k fyfeVM
For URANIUM CORPORATION OF INDIA LIMITED

C MATHIVANAN
Chief Controller of Purchase