

Rkkj%; Wyl tknqkkl+ ekbUl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vkO/ bM; k fyfeVM] tknqkkl+
(Hkkjr ljdkj dk l BfkkU)
Mkd?kj% tknqkkl+ ekbUl] >kj[k.M - 832 102

QkS / Phone : (0657)2730122
2730222/2730353

QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)
P.O. Jaduguda Mines, Jharkhand - 832 102
i MRRkN / Enquiry

Email: : jadpur@uraniumcorp.in

Lk ok esTo

fykQkQai j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRRkN l @ / Enquiry No. 2/PE170530/8

Rkkjh[k / Date 20/07/2017

fu; r rkjh[k / Due Date 29/08/2017

egk'k;]

di;k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi lussdSnvjh vls vuska dsvuokj viushko Hk\$AA

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	Auto drain Valve. Line size:1/2",Operating Voltage:230V AC, Adjustable time:1to30(min)(off delay),Operating pressure:0to 10kg/cm2 Make:Trident. 1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3[ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & Annexure -3 (Pre- Qualification Criteria)] . 2. Offer submitted in single part will be rejected. ()	3 Number

vugXud

Enclosures

Annexure:1, 2 & 3.

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vkO/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

AKHIL RAJ

DY. SUPDT. (MECH./Purchase)

vunšk

1 di;k viusnjsval ,oa'kCn eam) r djaA

2 QBI @bZes I sfufonk Lohdkj ughafd; stk, xSA

3 fof/k ekU; rk % Hkko bl i MurkN dh rkjh[k l s120 fnu ; k vf/kd l e; rd fof/kekl; qkspkfg, A

4 | Ei wZc 6 'kQd ; fn dksZqks rksvki ds}kik oqu fd; k tk, xk A

5 vnk; xh % gekjsvnx; xh dh 'krZgkxh gekjshk. Mkj ij l kexlx dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads
Hkhrj i jv dher vnk dh tk, xh A

6 dher 'krz% vki }kjk Hks sx, eky xUr0; LFku tknqkkt ujoki kgM+, oarjeMhg ij fu% kqd l opZh dsvk/kkj
ij qsk pkfq, A

7 dj % dj p[ə] mRiknu 'kɔd vkfn dh fuf' pr nj tgmbl yx ; k; gksvyx vvx fn[kkuh p[fg, vU; Fkk ckn ea
, sh ol fy; kadsnkoka i j fopkj ughaf; k tk, xk tc rd fd ; sfQj l su yxkbZtk; a

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqkfur gSA dæk bl eanh xbZi jv ek=k dsfy, vknšk nasdsfy, ck/;

ughagSA ; fn m) r dher vlv'kd ek=k ij ykxvu gksrks, šk fy[kæA

9 ueq % vxj uewse h stk, arksfcuk fdl h i zkj dsnsqk svk\$ blgsufonk nkrk dksyk; k tkuk vko'; d ugh
qsk A

10 I qazh % te'ksij esb dsvkl ikl vofLkr i fvdRrZkadksgekjsHk. Mkj tlnxskj ujoki gM+, oarj dMhg
ij
I qazh dsHkko nsspkfg, A

11 dsk dksdksZkh fufonk fcuk dksZdkj.k crk; sjn djsrFkk iMukN fd; sx, ek=k l sde dsfy, dz vknSk
nsdk vf/kdkj gSA

12 i pkfyr l jdkjh ifji= dsvudkj i kfkfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.