



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5397980
Dated/दिनांक : 13-09-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-10-2024 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-10-2024 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Uranium Corporation Of India Limited
Office Name/कार्यालय का नाम	Kadapa
Total Quantity/कुल मात्रा	111
Item Category/मद केटेगरी	Safety Footwear as per IS 15298 (Q2)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Safety Footwear as per IS 15298

Bid Details/बिड विवरण

Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the

Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Safety Footwear As Per IS 15298 (6 pairs)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Description	Technical Specification of the Product	As per BIS No. 15298 : 2016 (Latest)
Classification	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
Design	Design	B (Ankle Boot)
	Type	S1
Size	Gender Usage	Men

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Size	6
Material	Upper Material for Class 1 Footwear	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Corrected Grain Upper Leather
	Material for Class II Footwear	All Polyurethane
	Vamp Lining	With (Classification I and II Footwear)
	Vamp Lining Material	Textile
	Quarter Lining	Yes
	Quarter Lining Material	Textile
	Toe Cap	Steel (Metallic)
Colour	Color	Black
Other Requirement	Insole	Yes
	In-socks	Full In-socks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
Lacing/Closing of Shoes	Closing (Tieing)	Laces
	Lacing of Shoes	Eyelets
	Eyelets (Pairs)	4 Pairs
	Material of Eyelets	Brass Eyelets
	Laces	Nylon
	Cross Section Shape of Laces	Round
	Breaking Load of Laces (min)	600 N
Sole 1	Sole Description/ Material	Direct Moulded Double Density Polyurethane
	Sole Design	Sole should withstand a temperature of 120 degree Celsius for one minute exposure [Method as per IS-15298 (part-1) is only for reference]
	Construction	Direct Injection Process (DIP)
Slip Resistant	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip Resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution
Additional Requirements for Special Applications (Upper)	Water penetration and absorption	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Logo and Marking	Logo/Totem/Emblem Marking	No
Test Report/Certification	Availability of Test Report from Designated AHSP/NABL/ILAC Accredited or Central Government Lab to prove conformity of products to the specification	Yes
Advance Sample	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mooraboina Subbarayudu	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	6	90

Safety Footwear As Per IS 15298 (8 pairs)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Description	Technical Specification of the Product	As per BIS No. 15298 : 2016 (Latest)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Classification	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
Design	Design	B (Ankle Boot)
	Type	S1
Size	Gender Usage	Men
	Size	7
Material	Upper Material for Class 1 Footwear	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Corrected Grain Upper Leather
	Material for Class II Footwear	All Polyurethane
	Vamp Lining	With (Classification I and II Footwear)
	Vamp Lining Material	Textile
	Quarter Lining	Yes
	Quarter Lining Material	Textile
	Toe Cap	Steel (Metallic)
Other Requirement	Insole	Yes
	In-socks	Full In-socks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
Lacing/Closing of Shoes	Closing (Tieing)	Laces
	Lacing of Shoes	Eyelets
	Eyelets (Pairs)	4 Pairs
	Material of Eyelets	Powder Coated "D" type steel ring eyelets
Sole 1	Sole Description/ Material	Direct Moulded Double Density Polyurethane
	Sole Design	Sole should withstand a temperature of 120 degree Celsius for one minute exposure [Method as per IS-15298 (part-1) is only for reference]
	Construction	Direct Injection Process (DIP)
Slip Resistant	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip Resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Additional Requirements for Special Applications (Upper)	Water penetration and absorption	No
Logo and Marking	Logo/Totem/Emblem Marking	No
Test Report/Certification	Availability of Test Report from Designated AHSP/NABL/ILAC Accredited or Central Government Lab to prove conformity of products to the specification	Yes
Advance Sample	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mooraboina Subbarayudu	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	8	90

Safety Footwear As Per IS 15298 (25 pairs)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Description	Technical Specification of the Product	As per BIS No. 15298 : 2016 (Latest)
Classification	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
Design	Design	B (Ankle Boot)
	Type	S1
Size	Gender Usage	Men
	Size	8
Material	Upper Material for Class 1 Footwear	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Corrected Grain Upper Leather
	Material for Class II Footwear	All Polyurethane
	Vamp Lining	With (Classification I and II Footwear)
	Vamp Lining Material	Textile
	Quarter Lining	Yes
	Quarter Lining Material	Textile
	Toe Cap	Steel (Metallic)
Other Requirement	Insole	Yes
	In-socks	Full In-socks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
Lacing/Closing of Shoes	Closing (Tieing)	Laces
	Lacing of Shoes	Eyelets
	Eyelets (Pairs)	4 Pairs
	Material of Eyelets	Powder Coated "D" type steel ring eyelets
Sole 1	Sole Description/ Material	Direct Moulded Double Density Polyurethane
	Sole Design	Sole should withstand a temperature of 120 degree Celsius for one minute exposure [Method as per IS-15298 (part-1) is only for reference]
	Construction	Direct Injection Process (DIP)
Slip Resistant	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip Resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Additional Requirements for Special Applications (Upper)	Water penetration and absorption	No
Logo and Marking	Logo/Totem/Emblem Marking	No
Test Report/Certification	Availability of Test Report from Designated AHSP/NABL/ILAC Accredited or Central Government Lab to prove conformity of products to the specification	Yes
Advance Sample	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mooraboina Subbarayudu	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	25	90

Safety Footwear As Per IS 15298 (39 pairs)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Description	Technical Specification of the Product	As per BIS No. 15298 : 2016 (Latest)
Classification	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
Design	Design	B (Ankle Boot)
	Type	S1
Size	Gender Usage	Men
	Size	9
Material	Upper Material for Class 1 Footwear	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Corrected Grain Upper Leather
	Material for Class II Footwear	All Polyurethane
	Vamp Lining	With (Classification I and II Footwear)
	Vamp Lining Material	Textile
	Quarter Lining	Yes
	Quarter Lining Material	Textile
	Toe Cap	Steel (Metallic)
Other Requirement	Insole	Yes
	In-socks	Full In-socks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
Lacing/Closing of Shoes	Closing (Tieing)	Laces
	Lacing of Shoes	Eyelets
	Eyelets (Pairs)	4 Pairs
	Material of Eyelets	Powder Coated "D" type steel ring eyelets
Sole 1	Sole Description/ Material	Direct Moulded Double Density Polyurethane
	Sole Design	Sole should withstand a temperature of 120 degree Celsius for one minute exposure [Method as per IS-15298 (part-1) is only for reference]
	Construction	Direct Injection Process (DIP)
Slip Resistant	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip Resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Additional Requirements for Special Applications (Upper)	Water penetration and absorption	No
Logo and Marking	Logo/Totem/Emblem Marking	No
Test Report/Certification	Availability of Test Report from Designated AHSP/NABL/ILAC Accredited or Central Government Lab to prove conformity of products to the specification	Yes
Advance Sample	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mooraboina Subbarayudu	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	39	90

Safety Footwear As Per IS 15298 (29 pairs)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Description	Technical Specification of the Product	As per BIS No. 15298 : 2016 (Latest)
Classification	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
Design	Design	B (Ankle Boot)
	Type	S1
Size	Gender Usage	Men
	Size	10
Material	Upper Material for Class 1 Footwear	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Corrected Grain Upper Leather
	Material for Class II Footwear	All Polyurethane
	Vamp Lining	With (Classification I and II Footwear)
	Vamp Lining Material	Textile
	Quarter Lining	Yes
	Quarter Lining Material	Textile
	Toe Cap	Steel (Metallic)
Other Requirement	Insole	Yes
	In-socks	Full In-socks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
Lacing/Closing of Shoes	Closing (Tieing)	Laces
	Lacing of Shoes	Eyelets
	Eyelets (Pairs)	4 Pairs
	Material of Eyelets	Powder Coated "D" type steel ring eyelets
Sole 1	Sole Description/ Material	Direct Moulded Double Density Polyurethane
	Sole Design	Sole should withstand a temperature of 120 degree Celsius for one minute exposure [Method as per IS-15298 (part-1) is only for reference]
	Construction	Direct Injection Process (DIP)
Slip Resistant	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip Resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Additional Requirements for Special Applications (Upper)	Water penetration and absorption	No
Logo and Marking	Logo/Totem/Emblem Marking	No
Test Report/Certification	Availability of Test Report from Designated AHSP/NABL/ILAC Accredited or Central Government Lab to prove conformity of products to the specification	Yes
Advance Sample	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mooraboina Subbarayudu	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	29	90

Safety Footwear As Per IS 15298 (4 pairs)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Description	Technical Specification of the Product	As per BIS No. 15298 : 2016 (Latest)
Classification	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
Design	Design	B (Ankle Boot)
	Type	SB
Size	Gender Usage	Men
	Size	11
Material	Upper Material for Class 1 Footwear	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Buff Barton Print
	Material for Class II Footwear	All Polyurethane
	Vamp Lining	With (Classification I and II Footwear)
	Vamp Lining Material	Textile
	Quarter Lining	Yes
	Quarter Lining Material	Textile
	Toe Cap	Steel (Metallic)
Other Requirement	Insole	Yes
	In-socks	Full In-socks Removable and water permeable
	Tongue (For Designation I Footwear)	Full Bellow Tongue
	Collar	Collar with PU Foam padding, 15 mm thick, density 25 kg per cubic meter
Lacing/Closing of Shoes	Closing (Tieing)	Laces
	Lacing of Shoes	Eyelets
	Eyelets (Pairs)	4 Pairs
	Material of Eyelets	Powder Coated "D" type steel ring eyelets
Sole 1	Sole Description/ Material	Direct Moulded Single Density Polyurethane
	Sole Design	Cleated
	Construction	Single
Slip Resistant	Slip Resistant	As per clause 5.3.5.2 of IS 15298 (Part 2) - Slip Resistance on ceramic tile floor with sodium lauryl sulphate (NaLS) solution

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Additional Requirements for Special Applications (Upper)	Water penetration and absorption	No
Logo and Marking	Logo/Totem/Emblem Marking	Size, design, Type and Location of Logo as per buyer's requirement
Test Report/Certification	Availability of Test Report from Designated AHSP/NABL/ILAC Accredited or Central Government Lab to prove conformity of products to the specification	Yes
Advance Sample	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Mooraboina Subbarayudu	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	4	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Pre Qualification Criteria

- a) Bidder should submit previous purchase order copies as a proof of being supplied similar items to any company during the current/ any one of the last 03 financial years ending with 31.03.2024 along with part-1 of their offer, failing which their offer shall be rejected.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---