



Bid Number/बोली क्रमांक (बिड संख्या)<sup>:</sup> GEM/2024/B/4835673 Dated/दिनांक : 03-04-2024

## Bid Document/ बिड दस्तावेज़

| Bid D  | Details/बिड विवरण   |
|--|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय  | 24-04-2024 15:00:00   |
| Bid Opening Date/Time/बिड खुलने की<br>तारीख/समय  | 24-04-2024 15:30:00   |
| Bid Offer Validity (From End Date)/बिड पेशकश<br>वैधता (बंद होने की तारीख से)   | 180 (Days)  |
| Ministry/State Name/मंत्रालय/राज्य का नाम  | Pmo   |
| Department Name/विभाग का नाम   | Department Of Atomic Energy   |
| Organisation Name/संगठन का नाम   | Uranium Corporation Of India Limited  |
| Office Name/कार्यालय का नाम  | Jaduguda  |
| Total Quantity/कुल मात्र   | 6   |
| ltem Category/मद केटेगरी   | Executive Table (V2) (Q3) , Revolving Chair (V3) (Q2)   |
| Years of Past Experience Required for<br>same/similar service/उर्न्ही/समान सेवाओं के लिए<br>अपेक्षित विगत अनुभव के वर्ष                    | 1 Year (s)  |
| MSE Exemption for Years Of<br>Experience/अनुभव के वर्षों से एमएसई छूट/ and<br>Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है              | Yes   |
| Startup Exemption for Years Of<br>Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and<br>Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes   |
| Document required from seller/विक्रेता से मांगे<br>गए दस्तावेज़  | Experience Criteria,Past Performance<br>*In case any bidder is seeking exemption from Experience /<br>Turnover Criteria, the supporting documents to prove his<br>eligibility for exemption must be uploaded for evaluation by<br>the buyer |
| Past Performance/विगत प्रदर्शन   | 30 %  |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया   | Νο  |
| Type of Bid/बिड का प्रकार  | Two Packet Bid  |
| Primary product category   | Executive Table (V2)  |
| Time allowed for Technical Clarifications<br>during technical evaluation/तकनीकी मूल्यांकन के<br>दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय     | 2 Days  |

| Bid Details/बिड विवरण  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
| Inspection Required (By Empanelled   |  |  |  |  |
| Inspection Authority / Agencies pre-<br>registered with GeM)   | No   |  |  |  |
| Evaluation Method/मूल्यांकन पद्धति   | Total value wise evaluation  |  |  |  |
| EMD Detail/ईएमडी विवरण   |  |  |  |  |
| Required/आवश्यकता  | No   |  |  |  |
|  |  |  |  |  |
| ePBG Detail/ईपीबीजी विवरण  |  |  |  |  |
| Required/आवश्यकता  | No   |  |  |  |
|  | 1  |  |  |  |
|  |  |  |  |  |
| Splitting/विभाजन   |  |  |  |  |
|  |  |  |  |  |
| Bid splitting not applied/बोली विभाजन लागू नहीं किया व   | गया.   |  |  |  |
| MII Purchase Preference/एमआईआई खरीद वरीयता   |  |  |  |  |
| MII Purchase Preference/एमआईआई खरीद वरीयता   | No   |  |  |  |
| MSE Purchase Preference/एमएसई खरीद वरीयता  |  |  |  |  |
|  |  |  |  |  |
| MSE Purchase Preference/एमएसई खरीद वरीयता  | Yes  |  |  |  |
| L  | <u></u>  |  |  |  |
|  |  |  |  |  |
|  | r latest definitions under MSME rules, the bidder shall be   |  |  |  |
|  | er" criteria and "Experience Criteria" subject to meeting of<br>OEM of the offered products, it would be exempted from the   |  |  |  |
| "OEM Average Turnover" criteria also subject to me   | eeting of quality and technical specifications. In case any  |  |  |  |
| bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. |  |  |  |  |
|  | empted from the requirement of "Bidder Turnover" criteria and<br>uality and technical specifications. If the bidder is OEM of the  |  |  |  |
| offered products, it would be exempted from the "  | "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of |  |  |  |
|  | dder is seeking exemption from Turnover / Experience Criteria,<br>or exemption must be uploaded for evaluation by the buyer.   |  |  |  |
| 3. Experience Criteria: In respect of the filter applie  | ed for experience criteria, the Bidder or its OEM {themselves or actured and supplied same or similar Category Products to any   |  |  |  |
| Central / State Govt Organization / PSU / Public List  | ted Company for number of Financial years as indicated above   |  |  |  |
|  | Copies of relevant contracts to be submitted along with bid in   |  |  |  |

in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of

primary product having highest value should meet this criterion.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Executive Table (V2) ( 5 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

### \* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का<br>नाम       | Bid Requirement/बिड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य                                     |  |
|---------------|---|---|--|
| GENERIC       | Structure /Frame of table                   | Two legs with modesty panel   |  |
|               | The type of Storage provided                | Both side pedestal unit   |  |
|               | Keyboard tray                               | Provided  |  |
|               | Footrest                                    | Not Provided  |  |
| MATERIAL      | Tabletop Material                           | Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates                       |  |
|               | Thickness of table top<br>material (± 1 mm) | 25 mm   |  |
|               | Gable end material                          | Prelaminated particles board(wood product) of grade<br>II type III of IS 12823/Latest                 |  |
|               | The thickness of the gable end              | 15 mm   |  |
|               | Modesty panel material                      | Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest |  |
|               | The thickness of the modesty panel material | 15 mm   |  |
|               | Leg Material                                | NA  |  |
|               | The thickness of the Leg<br>materialNA      |   |  |
| DIMENSION     | Width of tabletop ±10 mm                    | 1050 mm   |  |

| Specification Name/विशिष्टि का<br>नाम |   | Bid Requirement/बिड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य  |  |  |
|---------------------------------------|---|--|--|--|
|                                       | Depth of table ±10 mm   | 1050 mm  |  |  |
|                                       | Height of table ±10 mm  | 775 mm   |  |  |
|                                       | Size (L x W) /diameter of leg material ± 5 mm                             | NA   |  |  |
| EXTENDED RETURN                       | ERU unit consists of  | No ERU   |  |  |
| UNIT                                  | Height of ERU unit $\pm$ 5 mm   | NA   |  |  |
|                                       | ERU side panel material   | ΝΑ   |  |  |
|                                       | ERU side panel Thickness ± 2<br>mm  | NA   |  |  |
|                                       | Number of lockable castors at the bottom                                  | NA   |  |  |
|                                       | Size of lockable castors ± 2<br>mm  | NA   |  |  |
|                                       | ERU outer Surface Finish  | NA   |  |  |
|                                       | ERU shade   | NA   |  |  |
| PEDESTAL UNIT                         | Total Number of drawers<br>/storage in Pedestal units                     | One storage, Three drawers   |  |  |
|                                       | Material for back panel in pedestal unit                                  | Three layers of Prelaminated particle board(Wood<br>Product) of grade II type II of IS 12823/Latest  |  |  |
|                                       | Back Panel Thickness in<br>Pedestal Unit                                  | 18 mm  |  |  |
|                                       | Drawer Bottom Material  | Three layers of Prelaminated particle board(Wood<br>Product) of grade II type II of IS 12823/Latest  |  |  |
|                                       | Drawer Bottom Material<br>Thickness                                       | 13 mm  |  |  |
|                                       | Provision of Castor in Pedestal unit                                      | Without  |  |  |
|                                       | Lock provided (for pedestal unit)   | Central lock   |  |  |
|                                       | Pedestal handle material  | Chrome plated  |  |  |
|                                       | Pedestal outer finish   | Laminate in color with matt finish 0.6 - 0.8 mm<br>thickness of type S, F or P having index no.3.2.3<br>conforming to IS 2046/Latest with having balancing<br>laminate of 0.5 mm thick on another side |  |  |
|                                       | Pedestal shade  | Dark walnut  |  |  |
| KEYBOARD TRAY                         | Material of keyboard tray and<br>Right angle L-type supporting<br>bracket | Three layer Prelaminated particles board(wood product) of grade II type II of IS 12823/Latest  |  |  |
|                                       | Material thickness of keyboard tray ±1mm                                  | 12 mm  |  |  |
|                                       | Fixing of supporting bracket  | With telescopic  |  |  |

| Specification     | Specification Name/विशिष्टि का<br>नाम               | Bid Requirement/बिड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य  |
|-------------------|---|--|
|                   | Keyboard height±10mm                                | 100 mm   |
|                   | Keyboard front width±10mm                           | 500 mm   |
|                   | Keyboard depth±10mm                                 | 350 mm   |
| FOOTREST          | Material of footrest                                | NA   |
| COLOUR AND FINISH | Table top finish                                    | Laminate in color with matt finish 0.6-0.8mm<br>thickness of type S, F or P having index no.3.2.3<br>conforming to IS 2046/Latest with having balancing<br>laminate of 0.5mm thick on another side |
|                   | Tabletop shade                                      | Dark walnut  |
|                   | Table /ERU /Pedestal Panel<br>Plain Side            | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue  |
| WARRANTY          | Warranty period                                     | 1 Year   |
| CERTIFICATION     | Test reports to be furnished to the buyer on demand | Yes  |

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र.<br>सं. | Consignee<br>Reporting/Officer/<br>परेषिती/रिपोर्टिंग<br>अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के<br>दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1                 | Sunfriday<br>Kharlyngdoh   | 832107,UCIL NARWAPAHAR<br>STORE AT/PO-NARWAPAHAR<br>MINES URANIUM CORPORATION<br>OF INDIA LTD Dist : East<br>Singhbhum, Jharkhand-832107<br>Ph no : 8986614690 | 5               | 90                              |

## Revolving Chair (V3) (1 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification          | Specification Name/विशिष्टि का<br>नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य |
|------------------------|---------------------------------------|---|
| GENERAL<br>REQUIREMENT | Tilt mechanism                        | Only Revolving without tilting mechanism                          |
|                        |                                       |   |

| Specification         | Specification Name/विशिष्टि का<br>नाम   | Bid Requirement/बिड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य |  |  |
|-----------------------|---|---|--|--|
|                       | Locking mechanism   | Tilt limiter  |  |  |
|                       | Armrest type and arm<br>movement Hint: The buyer<br>may indicate the number of<br>'Up' and 'Down' arm<br>movements at the time of<br>bid creation | Fixed   |  |  |
|                       | Seat depth adjustment   | Adjustable  |  |  |
|                       | Backrest type   | Fixed type  |  |  |
|                       | Backrest support type   | Adjustable lumber support   |  |  |
| MATERIAL AND          | Pedestal Base   | Nylon   |  |  |
| MATERIAL<br>THICKNESS | Twin wheel castor material  | Nylon   |  |  |
|                       | Armrest Material  | PU molded over plastic inner                                      |  |  |
|                       | Seat material   | Memory Foam   |  |  |
|                       | Minimum density of foam<br>used in seat   | 30 kg per cubic meter   |  |  |
|                       | Minimum thickness of PU<br>foam used in seat  | 50 mm   |  |  |
|                       | Seat upholstery material  | 100 % Polyester fabric  |  |  |
|                       | Backrest base frame<br>material   | Thermoplastic elastomer frame with insert in one piece            |  |  |
|                       | Padding at backrest   | Memory foam   |  |  |
|                       | The minimum density of foam used in the backrest  | 30 kg per cubic meter   |  |  |
|                       | Minimum thickness of PU<br>foam used in backrest  | 30 mm   |  |  |
|                       | Backrest upholstery<br>material   | 100 % Polyester fabric  |  |  |
|                       | Upholstery material<br>thickness /fabric substance<br>used in seat /backrest  | Minimum 200 GSM (for Woven fabric)                                |  |  |
| DIMENSION             | Minimum width of seat   | 500 mm  |  |  |
|                       | Minimum depth of seat   | 400 mm  |  |  |
|                       | Minimum width of backrest   | 450 mm  |  |  |
|                       | Backrest height   | High back (551 and above)   |  |  |
|                       | Minimum thickness of MS<br>Plate Joining the<br>understructure with Seat  | 3 mm  |  |  |
|                       | Minimum pedestal size<br>(diameter)   | 650 mm  |  |  |

| Specification                | Specification Name/विशिष्टि का<br>नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य |  |
|------------------------------|--|---|--|
| COLOUR AND FINISH            | Upholstered material seat color        | Blue  |  |
|                              | Upholstered material<br>backrest color | Blue  |  |
|                              | Finish of exposed metal parts          | Chrome plated   |  |
| TESTING AND<br>CERTIFICATION | Green Pro Certification issued by CII  | No  |  |
|                              | BIFMA membership                       | No  |  |

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र.<br>सं. | Consignee<br>Reporting/Officer/<br>परेषिती/रिपोर्टिंग<br>अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के<br>दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1                 | Sunfriday<br>Kharlyngdoh   | 832107,UCIL NARWAPAHAR<br>STORE AT/PO-NARWAPAHAR<br>MINES URANIUM CORPORATION<br>OF INDIA LTD Dist : East<br>Singhbhum, Jharkhand-832107<br>Ph no : 8986614690 | 1               | 90                              |

# Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 3. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.

ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.

iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.

iv) The Seller becomes bankrupt or goes into liquidation.

v) The Seller makes a general assignment for the benefit of creditors.

vi) A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

### 4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 5. Past Project Experience

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.

14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---