

**यूरेनियम कॉर्पोरेशन ऑफ इंडिया लिमिटेड**  
**मोहुलडीह माइन**  
**URANIUM CORPORATION OF INDIA LIMITED**  
**MOHULDIH MINES**

**पूछ-ताछ / ENQUIRY**

Ref: UCIL/MHD/ELECT/124/2025/01

Date: 01/10/2024

Name of the Contractor with Seal	Last Date of submission of offer: 07/10/2025 upto 3:00 PM & opening at 3:30 PM by the tender opening committee in Turamdih. Following reference number shall be super scribed on the sealed envelope of quotation Ref: UCIL/MHD/ELECT/124/2025/01 ; Date:01/10/2025
----------------------------------	---

Sealed tenders in triplicate form are invited for the “**Repairing of 1000 KVA, 33KV/6.6KV Power Transformer of Mohuldih under DOP 28.**”

**Eligibility:** Bidder should have experience of repairing/rewinding/overhauling of any HT power transformer of 1000 KVA or above during last 7 years. Documents (workorders/completions etc) shall have to be produced relevant to above experience with the bid. Bidder should agree all the terms and condition written in the enquiry else his quotation may be rejected.

**Special Condition:**

- The old and burnt copper will be retained by the party and the rate should be adjusted in the quotation accordingly but any material required for repairing of the transformer should be supplied by the party.
- **Scope of work:** The repairing/rewinding work includes Un-tanking and tanking of transformer, Top cover removing, De-breezing of connection, Disconnection of Tap changer, Removing of coils from core coil assembly, Un-winding, Re-taping and Re-winding of all HV and LV Coils , Checking and overhauling of all Protective units of Transformer, Top Yoke Assembly, Main transformer cleaning, Tap changer connection, Breezing of Connections, Gasket changing, Drying of Transformer, repairing /replacement of radiator, its basic testing and warranty of one year.
- The transformer oil if required will be supplied by UCIL. Also loading, unloading and transportation of transformer will be in the scope of UCIL. But Unloading and loading of Transformer at party's site /workshop will be in the scope of party and complete supervision for loading, unloading & transportation will be in the scope of party.

**Payment Terms:** Only final bill will be allowed after delivering the transformer at UCIL site.

**Validity of offer:** 90 days.

**Note:** Sealed quotations shall be submitted in hard copy to the office of Manager (Personnel) Turamdih Mine/ Supdt. (Elect.), Mohuldih Mine up to 3:00 P.M. on 07/10/2025. Quotations will be opened on the same day at 3:30 P.M. in front of tender opening committee.

**Enclosure:** Annexure – 1 (Price format)

For: Uranium Corporation of India Limited

अभिषेक कुमार  
अधीक्षक (विद्युत)  
मोहुलडीह खदान

**PRICE PART**

<b>Schedule for Repairing of 1000 KVA, 33KV/6.6KV Power Transformer of Mohuldih under DOP 28.</b>					
<b>Sl. No</b>	<b>Item Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate in Rs.</b>	<b>Amount</b>
1	Repairing/ Rewinding of 1000 KVA, 33KV/6.6KV power transformer including supply of accessories as required. This includes Un-tanking and tanking of transformer, Top cover removing, De-breezing of connection, Disconnection of Tap changer, Removing of coils from core coil assembly, Un-winding, Re-taping and Re-winding of all HV and LV Coils , Checking and overhauling of all Protective units of Transformer, Top Yoke Assembly, Main transformer cleaning, Tap changer connection, Breezing of Connections, Gasket changing, Drying of Transformer, repairing /replacement of radiator, its basic testing etc and warranty of one year.	1	LOT		
	<b>GST @ 18%</b>				
	<b>Total Including GST</b>				

In Words: