बिड संख्या/Bid Number: GEM/2026/B/8266743

दिनांक /Dated: 12-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-12-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-12-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Department Of Atomic Energy
विभाग का नाम/Department Name	Department Of Atomic Energy
संगठन का नाम/Organisation Name	Uranium Corporation Of India Ltd
कार्यालय का नाम/Office Name	Jaduguda
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :hodpurchase.ucil@uraniumcorp.in Buyer Email id: anjana.mahanty@uraniumcorp.in
कुल मात्रा/Total Quantity	893
वस्तु श्रेणी /Item Category	Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455 (Q3)
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	1 Lakh (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	30 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of

Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (60 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	12
	Bearing outside diameter (in mm)	32
	Designation of bearing	6201-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	60	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (60 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	10
	Bearing outside diameter (in mm)	30
	Designation of bearing	6200-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	60	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (60 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	15
	Bearing outside diameter (in mm)	35
	Designation of bearing	6202-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	60	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (60 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	17
	Bearing outside diameter (in mm)	40
	Designation of bearing	6203-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	60	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (50 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	25
	Bearing outside diameter (in mm)	52
	Designation of bearing	6205-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	50	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (50 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	30
	Bearing outside diameter (in mm)	62
	Designation of bearing	6206-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	50	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (20 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	35
	Bearing outside diameter (in mm)	72
	Designation of bearing	6207-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	20	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (20 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	40
	Bearing outside diameter (in mm)	80
	Designation of bearing	6208-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	20	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (40 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	50
	Bearing outside diameter (in mm)	90
	Designation of bearing	6210-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	40	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (30 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	55
	Bearing outside diameter (in mm)	100
	Designation of bearing	6211-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	30	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (30 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	60
	Bearing outside diameter (in mm)	110
	Designation of bearing	6212-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	30	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (6 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	70
	Bearing outside diameter (in mm)	125
	Designation of bearing	6214-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	6	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (15 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	75
	Bearing outside diameter (in mm)	130
	Designation of bearing	6215-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	15	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (10 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	85
	Bearing outside diameter (in mm)	150
	Designation of bearing	6217-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	10	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (40 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	15
	Bearing outside diameter (in mm)	42
	Designation of bearing	6302-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	40	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (40 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	17
	Bearing outside diameter (in mm)	47
	Designation of bearing	6303-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	40	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (40 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	20
	Bearing outside diameter (in mm)	52
	Designation of bearing	6304-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	40	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (50 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	25
	Bearing outside diameter (in mm)	62
	Designation of bearing	6305-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	50	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (50 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	30
	Bearing outside diameter (in mm)	72
	Designation of bearing	6306-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	50	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (20 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	35
	Bearing outside diameter (in mm)	80
	Designation of bearing	6307-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	20	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (40 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	40
	Bearing outside diameter (in mm)	90
	Designation of bearing	6308-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	40	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (40 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	45
	Bearing outside diameter (in mm)	100
	Designation of bearing	6309-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	40	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (30 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	55
	Bearing outside diameter (in mm)	120
	Designation of bearing	6311-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	30	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (20 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	60
	Bearing outside diameter (in mm)	130
	Designation of bearing	6312-2Z
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	NA
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	20	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (6 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	85
	Bearing outside diameter (in mm)	180
	Designation of bearing	6317
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group N

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	6	90

Single Row Deep Groove Ball Bearings (V2) Conforming To IS 6455 (6 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Conforming to IS 6455 : 2020**	Yes
Generic	**Flange outer ring**	Without
	Bearing bore diameter (in mm)	90
	Bearing outside diameter (in mm)	190
	Designation of bearing	6318
	Tolerance class	P 0 = tolerance class normal
	Rolling element	Finished Steel Balls as specified in IS 2898 (Part 1)
	Cage material	Press Steel
	"Radial internal clearance as per IS 5935 (Part 1) hint: Group 2 (C2), Group N (C0), Group 3 (C3), Group 4 (C4), Group 5 (C5)"	Group 2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUDIPTA DAS	832102,UCIL JADUGUDA STORE CHIEF SUPERINTENDENT STORE AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD Ph No : 9431139916	6	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1) Subsequent to bid opening, if it is found that bids submitted by related parties in which there seems to be collusion are liable to be rejected. Parties are considered to be related if one party has the ability to con trol the other party or exercise significant influence over the other party in making financial and / or operat ing decision.

   2) Bidders shall submit their offer strictly as per specification and scope given in the b id failing which their offer will liable to be rejected. Conditional offer will also liable to be rejected.

   3) Material is required to be supplied on FOR-destination duly unloaded & insured basis.

   4) Deviation of Order quantity: Up to 10% variations in the execution of purchase order of the total order value for sanctioned order value is allowed without issue of amendment / revision in the pur chase order.

   5) **DISPUTE RESOLUTION MECHANISM AND JURISDICTION:**

   CONCILIATION : Notwithstanding anything contained in this contract, any disputes or differen ces whatsoever, which are to be settled amicably between the parties with their authorized re presentatives, shall be resolved through conciliation.

MEDIATION : Any disputes or differences, which are not settled amicably through conciliation, then either of the parties, may approach for Mediation to settle under Mediation Act, 2023. The procedure is to be followed as prescribed in the Mediation Act,2023 amended from time to time.

AMRCD: Any disputes or differences between the parties are not settled amicably with conciliation and/or Mediation, then such disputes or differences shall be resolved through Administrative Mechanism for Resolution of CPSEs Disputes (AMRCD). Any disputes or differences relating to interpretation and application of the provisions of commercial contract(s) between Central Public Sector Enterprises (CPSEs)/Port Trusts, inter-se and also between CPSE(s) and Government Department(s) / Organization(s) shall be taken by either party for its resolution through AMRCD.

ARBITRATION : Any disputes or differences where clause no. iii is not applicable, the parties may go for arbitration as per the provisions of Arbitration & Conciliation Act, 1996 provided the disputes is restricted to less than Rs. 10 Cr. (Ten Crores). This amount is with reference to the **value of the dispute** and not the **value of the contract** which may be much higher. In all other cases, arbitration shall not be a method of dispute resolution arising out of this contract.

JURISDICTION : If the matter is not resolved through above means, the dispute shall be resolved in civil court of law at Jharkhand only.

.

5. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

6. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not Required

Post Receipt Inspection at consignee site before acceptance of stores:
carried out by concerned user at our store/site and it will be final and binding for supplier.

7. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

8. **Generic**

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

9. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
i) The Seller fails to comply with any material term of the Contract.
ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
iv) The Seller becomes bankrupt or goes into liquidation.
v) The Seller makes a general assignment for the benefit of creditors.
vi) A receiver is appointed for any substantial property owned by the Seller.
vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---